



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/804,645	03/13/2001	John M. Vranish	GSC 14,339-1	1596

7590

07/03/2003

Keith L. Dixon
NASA/GSFC
Office of Patent Counsel
Mail Code 710.1
Greenbelt, MD 20771

EXAMINER

DHARIA, PRABODH M

ART UNIT	PAPER NUMBER
----------	--------------

2673

DATE MAILED: 07/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/804,645

Applicant(s)

VRANISH, JOHN M.

Examiner

Prabodh M Dharja

Art Unit

2673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 March 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-34 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 June 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s) _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

Art Unit: 2673

Priority

1. Applicant's claim for domestic priority under 35 U.S.C. 119(e) is acknowledged.

Drawings

2. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on 06-26-2001 have been acknowledged. A proper drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The correction to the drawings will not be held in abeyance.

3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference sign(s) not mentioned in the description: 10A on drawing sheet number 12. A proposed drawing correction, corrected drawings, or amendment to the specification to add the reference sign(s) in the description, are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 12A. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Specification

5. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed

Art Unit: 2673

150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "the," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

6. The abstract of the disclosure is objected to because total number of word count exceeds 150, the title has been repeated, and the form and legal phraseology such as "said" used on line 6 and 9. Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 1-5, are rejected under 35 U.S.C. 103(a) as being unpatentable over Doyle et al. (5,251,322) in view of Vranish (5,373,245) and Wunderman et al. (6,122,042).

Regarding Claim 1, Doyle et al. teaches a three-dimensional (3-D) interactive display (Col. 32, Lines 55-61, Col. 4, Lines 45-51) comprising: a display monitor screen (Col. 4, 51-55, Col. 16, Lines 53-55, Col. 32, Lines 61-63); an array of pixels disposed upon the monitor screen (Col. 16, Lines 53-68).

However, Doyle et al. fails to teach pixels are capaciflective.

However, Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Art Unit: 2673

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Vranish in Doyle et al. teaching for improvements in a 3D display system to provide a capacitive camera that will provide 3-D image in close proximity.

Doyle et al. teaches a three-dimensional (3-D) interactive display (Col. 32, Lines 55-61, Col. 4, Lines 45-51) comprising: a display monitor screen (Col. 4, 51-55, Col. 16, Lines 53-55, Col. 32, Lines 61-63); an array of pixels disposed upon the monitor screen (Col. 16, Lines 53-68).

However, Doyle et al fails to teach a first group of sensor pads connected to ones of the array of capaciflective pixels; a second group of sensor pads connected to ones of the array of capaciflective pixels, capaciflective pixels connected to the first group of sensor pads not being connected to the second group of sensor pads; and an operational amplifier connected to each of the sensor pads, each the operational amplifier biasing and receiving a signal from a connected sensor pad responsive to intrusion of a probe, the signal being proportional to probe positional location with respect to the monitor screen.

However, Wunderman et al. teach a first group of sensor pads connected to ones of the array of pixels (114 of figure 6A, Col. 22, Lines 19,20); a second group of sensor pads connected to ones of the array of pixels (116 of figure 6A, Col. 22, Lines 21,22), pixels connected to the first group of sensor pads not being connected to the second group of sensor pads (Col. 22, Lines 40-42); and an operational amplifier connected to each of the sensor pads, each the operational amplifier biasing (Col. 22, Lines 19-30) and receiving a signal from a connected sensor pad responsive to intrusion of a probe, the signal being proportional to probe positional location with respect to the monitor screen (Col. 8, Lines 36-41, Col. 21, Line 32 to Col. 22, Line 10, Col. 29,

Art Unit: 2673

Lines 44-61). Wunderman et al. does not specifically teach about capaciflective pixels, however, as explained above capaciflective pixels are close proximity capacitive touch sensor detects the object at a given range; Wunderman et al. teaches photo-sensor and detector which are also close proximity capacitive touch sensor detects the object at a given range.

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Wunderman et al. in Doyle et al. teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

Regarding Claim 2, Wunderman et al. teaches a transparent shield layer disposed between the monitor screen and the array of pixels (Col. 27, Line 58 to Col. 28, Line 8, Col. 28, Lines 23-30, Col. 29, lines 22-39).

Regarding Claim 3, Wunderman et al. teaches a first group of sensor pads connected to ones of the array of pixels (114 of figure 6A, Col. 22, Lines 19,20) are column (Col. 29, Line 44 to Col. 30, Line 27); a second group of sensor pads connected to ones of the array of pixels (116 of figure 6A, Col. 22, Lines 21,22) are row (Col. 29, Line 44 to Col. 30, Line 27). Wunderman teaches pixels are capaciflective (Col. 1, Lines 59-61).

Regarding Claim 4, Wunderman et al. teaches pixels connected to each sensor pad of the first group (114 of figure 6A, Col. 22, Lines 19,20) and the second group (116 of figure 6A, Col. 22, Lines 21,22) comprises: a plurality of parallel wires; a turnaround at one end of the plurality

Art Unit: 2673

of parallel wires; and a sensor pad at an opposite end of the plurality of parallel wires (Col. 22, Lines 11-31). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Regarding Claim 5, Wunderman et al. teaches the plurality of parallel wires comprises five wires spaced a half a centimeter apart (Col. 22, Line 31-34), each of the wires spanning the display screen like LCD or TV (Col. 22, Lines 8-10, Col. 27, Lines 45-47, Line 65 to Col. 28, Line 12).

9. Claims 6-15, are rejected under 35 U.S.C. 103(a) as being unpatentable over Doyle et al. (5,251,322) in view of Vranish (5,373,245) and Wunderman et al. (6,122,042) as applied to claims 1-5 above, and further in view of Resman (6,459,424 B1).

Regarding Claim 6, Doyle et al. teaches a three-dimensional (3-D) interactive display (Col. 32, Lines 55-61, Col. 4, Lines 45-51) comprising: a display monitor screen (Col. 4, 51-55, Col. 16, Lines 53-55, Col. 32, Lines 61-63); an array of pixels disposed upon the monitor screen (Col. 16, Lines 53-68). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Wunderman et al. teach a first group of sensor pads connected to ones of the array of pixels (114 of figure 6A, Col. 22, Lines 19,20); a second group of sensor pads connected to ones of the array of pixels (116 of figure 6A, Col. 22, Lines 21,22), pixels connected to the first group of sensor pads not being connected to the second group of sensor pads (Col. 22, Lines 40-42); and an operational amplifier connected to each of the sensor pads, each the operational amplifier biasing (Col. 22, Lines 19-30) and receiving a signal from a connected sensor pad responsive to intrusion

Art Unit: 2673

of a probe, the signal being proportional to probe positional location with respect to the monitor screen (Col. 8, Lines 36-41, Col. 21, Line 32 to Col. 22, Line 10, Col. 29, Lines 44-61).

However, Doyle et al. modified by Vranish and Wunderman et al. fails to teach capacitive touch sensitive panel mounted on the monitor wired as grid; and each of the parallel wires are silver.

However, Resman teaches capacitive touch sensitive panel mounted on the monitor wired as grid (Col. 9, Lines 7-9) each of the parallel wires are silver (Col. 2, Line 24-28).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Resman in Doyle et al. modified by Vranish and Wunderman et al. teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

Regarding Claim 7, Wunderman et al. teaches a protective coating over the array (Col. 27, Line 58 to Col. 28, Line 8, Col. 28, Lines 23-30, Col. 29, lines 22-39)..

Regarding Claim 8, Wunderman et al. teaches each of the pixels is a transparent conductive plate (Col. 25, Lines 31-33, Lines 56-60). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Regarding Claim 9, Wunderman et al. teaches pixels connected to each sensor pad of the first group (114 of figure 6A, Col. 22, Lines 19,20) and the second group (116 of figure 6A, Col. 22, Lines 21,22). Resman teaches pixels (Col. 4, Lines 4-14) are arranged in alternating pixels

Art Unit: 2673

and spaces such that when capaciflective pixels connected to sensor pads from the first group are overlaid by capaciflective pixels from the second group, the display screen is covered with a single layer of alternating pixels from either group (Col. 8, Lines 2-11, Line 58 to Col. 9, Line7). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Regarding Claim 10, Resman teaches each of the pixels are transparent semiconductor and are formed on the glass (Col. 8, Line 51 to Col. 9, line 7) and are quite a large number (more than a million pixels) organized on small area, it is obvious to one in the ordinary skill in the art the size of the pixel is in the range of few square micro meter, (square 25 Um). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Regarding Claim 11, Resman teaches the transparent shield layer is a thick layer of conductive glass, the shield layer (Col. 8, Line 51 to Col. 9, line 7) and the pixels being biased and driven identically (Col. 4, Lines 4-14, Col. 8, Line 51 to Col. 9, line 7). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Regarding Claim 12, Resman teaches each of the pixels are transparent semiconductor and are formed on the glass (Col. 8, Line 51 to Col. 9, line 7) and are quite a large number (more than a million pixels) organized on small area, it is obvious to one in the ordinary skill in the art the size of the pixel is in the range of few square micro meter, (square 25 Um). Vranish teaches pixels are capaciflective (Col. 1, Lines 59-61).

Art Unit: 2673

Regarding Claim 13, Resman teaches the shield layer including a shield pad, the shield pad connected to another operational amplifier (Col. 7, Line 64 to Col. 8, Line 2). Doyle et al. teaches a three-dimensional (3-D) interactive display (Col. 32, Lines 55-61, Col. 4, Lines 45-51) comprising: a display monitor screen (Col. 4, 51-55, Col. 16, Lines 53-55, Col. 32, Lines 61-63); an array of pixels disposed upon the monitor screen (Col. 16, Lines 53-68). Varnish teaches a plurality of relatively closely spaced capacitive type proximity sensors (capaciflective) are energized from an oscillator (figure 1a, Col. 4, Lines 9-20) driving operational amplifiers (figure 1a, Col. 4, Lines 9-20) connected to each sensor pad and the shield pad, the shield being biased and driven identically to the capaciflective pixels (Col. 1, Line 59 to Col. 2, Line 52).

Regarding Claim 14, Vranish teaches the oscillator (figure 1a, Col. 4, Lines 9-20). However, Vranish fails to teach frequency being 100 KHz, the oscillator output voltage being 12 volts or less. However it is well known to one in the ordinary skill in the art when specifying a oscillator for ordering off the self or custom ordering to order with specific parameter like output voltage being 12 or less voltage and frequency being 100Khz. Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of off the self ordering or custom ordering in Vranish teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

Regarding Claim 15, Doyle et al. teaches a three-dimensional (3-D) interactive display with computer system (Col. 32, Lines 55-61, Col. 4, Lines 12-62) comprising: a display monitor

Art Unit: 2673

screen (Col. 4, 51-55, Col. 16, Lines 53-55, Col. 32, Lines 61-63); an array of pixels disposed upon the monitor screen (Col. 16, Lines 53-68).

10. Claims 16-18, 24, are rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245).

Regarding Claim 16, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19).

However, Varnish does not specifically teaches the sensor pad.

However, it is obvious to one in the ordinary skill in the art that the sensor pad and sensor has to be in the same layer to be bonded with silver wire to avoid any cross-talk or EMI interference. Vranish teaches the method comprising the steps of: a) forming a first sensor (which will be connected to the wire to a pad) layer on a first dielectric layer; b) forming a second dielectric layer over the first sensor (which will be connected via wire to a pad) layer; c) forming a second sensor (which will be connected to the wire to a pad) layer over the second dielectric layer; and d) forming a protective coating layer on the second sensor (which will be connected to the wire to a pad) layer (figure 4b,4c,4d, Col. 2, Line 64 to Col. 3, Line 20, Col. 5, Line 61 to Col. 6, Line 18, Col. 6, Line 64 to Col. 7, Line 37).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of sensor pads and sensors being on the same layer in Vranish teaching so as to reduce cross-talk and EMI interference in the oscillator driven op-amp driving capaciflector sensors in a 3D display systems.

Art Unit: 2673

Regarding Claim 17, Vranish teaches a1) forming a shield layer on a non-conductive substrate, the shield being a transparent layer of conductive material; and a2) forming the first dielectric layer on the shield layer (Col. 5, Line 61 to Col. 6, Line 10).

Regarding Claim 18, Vranish teaches the second sensor (which will be connected to the wire to a pad) layer is formed orthogonally to the first sensor (which will be connected to the wire to a pad) layer (Col. 6, Lines 7-10).

Regarding Claim 24, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19); the method comprising the steps of: a) forming a first sensor (which will be connected to the wire to a pad) layer on a first dielectric layer; b) forming a second dielectric layer over the first sensor (which will be connected to the wire to a pad) layer; c) forming a second sensor (which will be connected to the wire to a pad) layer over the second dielectric layer; and d) forming a protective coating layer on the second sensor (which will be connected to the wire to a pad) layer (figure 4b,4c,4d, Col. 2, Line 64 to Col. 3, Line 20, Col. 5, Line 61 to Col. 6, Line 18, Col. 6, Line 64 to Col. 7, Line 37).

11. Claim 19, is rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245) in view of Wunderman et al. (6,122,042).

Art Unit: 2673

Regarding Claim 19, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19).

However, Vranish fails to teach pixels connected to each sensor pad of the first group and the second group comprises: a plurality of parallel wires; a turnaround at one end of the plurality of parallel wires; and a sensor pad at an opposite end of the plurality of parallel wires.

However, Wunderman et al. teaches pixels connected to each sensor pad of the first group (114 of figure 6A, Col. 22, Lines 19,20) and the second group (116 of figure 6A, Col. 22, Lines 21,22) comprises: a plurality of parallel wires; a turnaround at one end of the plurality of parallel wires; and a sensor pad at an opposite end of the plurality of parallel wires (Col. 22, Lines 11-31).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Wunderman et al. in Vranish teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

12. Claims 20-23,25, are rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245) in view of Wunderman et al. (6,122,042) as applied to claim 19 above, and further in view of Resman (6,459,424 B1).

Regarding Claim 20, Vranish modified by Wunderman et al. teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19).

However, Vranish modified by Wunderman et al. fails to teach capacitive touch sensitive panel mounted on the monitor wired as grid and each of the parallel wires are silver.

Art Unit: 2673

However, Resman teaches capacitive touch sensitive panel mounted on the monitor wired as grid (Col. 9, Lines 7-9) each of the parallel wires are silver (Col. 2, Line 24-28).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Resman in Vranish modified by Wunderman et al. teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

Regarding Claim 21, Resman teaches each of the pixels are transparent semiconductor and are formed on the glass (Col. 8, Line 51 to Col. 9, line 7) and are quite a large number (more than a million pixels) organized on small area, it is obvious to one in the ordinary skill in the art the size of the pixel is in the range of few square micro meter, (square 25 μm). Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19).

Regarding Claim 22, Resman teaches forming a shield pad on the conductive glass layer (Col. 8, Line 51 to Col. 9, line 7).

Regarding Claim 23, Wunderman et al. teaches pixels connected to each sensor pad of the first group (114 of figure 6A, Col. 22, Lines 19,20) and the second group (116 of figure 6A, Col. 22, Lines 21,22) comprises: a plurality of parallel wires; a turnaround at one end of the plurality of parallel wires; and a sensor pad at an opposite end of the plurality of parallel wires (Col. 22, Lines 11-31).

Art Unit: 2673

Regarding Claim 25, Resman teaches each of the pixels are transparent semiconductor and are formed on the glass (Col. 8, Line 51 to Col. 9, line 7) and are quite a large number (more than a million pixels) organized on small area, it is obvious to one in the ordinary skill in the art the size of the pixel is in the range of few square micro meter, (square 25 μm).

13. Claim 26, is rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245).

Regarding Claim 26, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and the second sensor (which will be connected to the wire to a pad) layer is formed orthogonally to the first sensor (which will be connected to the wire to a pad) layer (Col. 6, Lines 7-10).

However, Varnish does not specifically teaches the sensor pad.

However, it is obvious to one in the ordinary skill in the art that the sensor pad and sensor has to be in the same layer to be bonded with silver wire to avoid any cross-talk or EMI interference. Vranish teaches the method comprising the steps of: a) forming a first sensor (which will be connected to the wire to a pad) layer on a first dielectric layer; b) forming a second dielectric layer over the first sensor (which will be connected via wire to a pad) layer; c) forming a second sensor (which will be connected to the wire to a pad) layer over the second dielectric layer; and d) forming a protective coating layer on the second sensor (which will be connected to the wire to a pad) layer (figure 4b,4c,4d, Col. 2, Line 64 to Col. 3, Line 20, Col. 5, Line 61 to Col. 6, Line 18, Col. 6, Line 64 to Col. 7, Line 37).

Art Unit: 2673

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of sensor pads and sensors being on the same layer in Vranish teaching so as to reduce cross-talk and EMI interference in the oscillator driven op-amp driving capaciflector sensors in a 3D display systems.

14. Claim 27, is rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245) in view of Wunderman et al. (6,122,042).

Regarding Claim 27, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19).

However, Vranish fails to teach pixels connected to each sensor pad of the first group and the second group comprises: a plurality of parallel wires; a turnaround at one end of the plurality of parallel wires; and a sensor pad at an opposite end of the plurality of parallel wires.

However, Wunderman et al. teaches pixels connected to each sensor pad of the first group (114 of figure 6A, Col. 22, Lines 19,20) and the second group (116 of figure 6A, Col. 22, Lines 21,22) comprises: a plurality of parallel wires; a turnaround at one end of the plurality of parallel wires; and a sensor pad at an opposite end of the plurality of parallel wires (Col. 22, Lines 11-31).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Wunderman et al. in Vranish teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

Art Unit: 2673

15. Claims 28-30,34, are rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245) in view of Wunderman et al. (6,122,042) as applied to claims 26,27 above, and further in view of Resman (6,459,424 B1).

Regarding Claim 28, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and Wunderman et al. teaches the plurality of parallel wires comprises five wires spaced a half a centimeter apart (Col. 22, Line 31-34), each of the wires spanning the display screen like LCD or TV (Col. 22, Lines 8-10, Col. 27, Lines 45-47, Line 65 to Col. 28, Line 12).

However, Vranish modified by Wunderman et al. fails to teach capacitive touch sensitive panel mounted on the monitor wired as grid each of the parallel wires are silver.

However, Resman teaches capacitive touch sensitive panel mounted on the monitor wired as grid (Col. 9, Lines 7-9) each of the parallel wires are silver (Col. 2, Line 24-28) and

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Resman in Vranish modified by Wunderman et al. teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

Regarding Claim 29, Resman teaches each of the pixels are transparent semiconductor and are formed on the glass (Col. 8, Line 51 to Col. 9, line 7) and are quite a large number (more than a million pixels) organized on small area, it is obvious to one in the ordinary skill in the art the size of the pixel is in the range of few square micro meter, (square 25 Um). Vranish teaches a

Art Unit: 2673

method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and includes a shield pad disposed at one side (Col. 4, Lines 12-17).

Regarding Claim 30, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and includes a sensor pad and a shield pad disposed at one side (Col. 4, Lines 12-17). Resman teaches capacitive touch sensitive panel mounted on the monitor wired as grid (Col. 9, Lines 7-9) each of the parallel wires are silver (Col. 2, Line 24-28) and Vranish teaches extending upward from the sensor pad or the shield pad (Col. 5, Lines 63-66) to an upper surface of the surface dielectric layer (Col. 3, Lines 3-9).

Regarding Claim 34, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and includes a sensor pad and a shield pad disposed at one side (Col. 4, Lines 12-17). Resman teaches capacitive touch sensitive panel mounted on the monitor wired as grid (Col. 9, Lines 7-9) each of the parallel wires are silver (Col. 2, Line 24-28) and Vranish teaches extending upward from the sensor pad or the shield pad (Col. 5, Lines 63-66) to an upper surface of the surface dielectric layer (Col. 3, Lines 3-9).

16. Claims 31,32, are rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245).

Art Unit: 2673

Regarding Claim 31, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and the second sensor (which will be connected to the wire to a pad) layer is formed orthogonally to the first sensor (which will be connected to the wire to a pad) layer (Col. 6, Lines 7-10).

However, Varnish does not specifically teaches the sensor pad.

However, it is obvious to one in the ordinary skill in the art that the sensor pad and sensor has to be in the same layer to be bonded with silver wire to avoid any cross-talk or EMI interference. Vranish teaches the method comprising the steps of: a) forming a first sensor (which will be connected to the wire to a pad) layer on a first dielectric layer; b) forming a second dielectric layer over the first sensor (which will be connected via wire to a pad) layer; c) forming a second sensor (which will be connected to the wire to a pad) layer over the second dielectric layer; and d) forming a protective coating layer on the second sensor (which will be connected to the wire to a pad) layer (figure 4b,4c,4d, Col. 2, Line 64 to Col. 3, Line 20, Col. 5, Line 61 to Col. 6, Line 18, Col. 6, Line 64 to Col. 7, Line 37).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of sensor pads and sensors being on the same layer in Vranish teaching so as to reduce cross-talk and EMI interference in the oscillator driven op-amp driving capaciflector sensors in a 3D display systems.

Regarding Claim 32, Vranish teaches the second sensor (which will be connected to the wire to a pad) layer is formed orthogonally to the first sensor (which will be connected to the wire to a pad) layer (Col. 6, Lines 7-10).

Art Unit: 2673

17. Claim 33, is rejected under 35 U.S.C. 103(a) as being unpatentable over Vranish (5,373,245) in view of Resman (6,459,424 B1).

Regarding Claim 33, Vranish teaches a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and a method of forming a transparent capaciflector camera (Col. 2, Lines 25,26, figure 4d, Col. 4, Lines 18,19) and includes a shield pad disposed at one side (Col. 4, Lines 12-17).

However, Vranish fails to teach the size of the pixel is 25 μm . thick layer of conductive glass.

However, Resman teaches each of the pixels are transparent semiconductor and are formed on the glass (Col. 8, Line 51 to Col. 9, line 7) and are quite a large number (more than a million pixels) organized on small area, it is obvious to one in the ordinary skill in the art the size of the pixel is in the range of few square micro meter, (square 25 μm).

Thus it is obvious to one in the ordinary skill in the art at the time of invention was made to incorporate teaching of Resman in Vranish teaching for improvements in a display driver apparatus, so as to enhance capability of 3D display system.

18. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Applicant is informed that all of the other additional cited references render the claims obvious.

Art Unit: 2673

Conclusion

19. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Chua et al. (5,140,670) Cellular Neural Network .

Breed et al. (6,422,595 B1) Occupant position sensor and method and arrangement for controlling a vehicular component based on an occupant's position.

20. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prabodh M Dharia whose telephone number is 703-605-1231. The examiner can normally be reached on M-F 8AM to 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 703-3054938. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9341 for regular communications and 703-872-9341 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4750.

Any response to this action should be mailed to:


Commissioner of Patents and Trademarks

Washington, D.C. 20231

PD

AU2673

June 19, 2003



VIJAY SHANKAR
PRIMARY EXAMINER